

SECTION 1. IDENTIFICATION

1.1 Product Identifier

C.Drop

Product Form:

Liquid Mixture, Light Green

Product Description:

Cell Suspension Solution

Cat No. :

CDR0030, CDR0250

1.2 intended Use of the Product

Recommended Use

Laboratory Chemicals

Uses advised against

No information Available

1.3 Name, Address , and Telephone of Responsible Party

Company

SSN Solutions

5900 Balcones Dr

Suite 100

Austin, TX 78731

Email

TechSupport@SSNSol.com

832-263-3492

1.3 Emergency Telephone Number

Chemtrec US: (800) 424-9300

Chemtrec Intl: (703) 527-3887

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification Of the Substance or Mixture

GHS-US Classification

Acute Toxicity 4 (Oral)	H302
Eye Irritation 2A	H319
Skin Sensitizer 1	H317
Specific Target Organ Toxicity Single Exposure 1	H370
Specific Target Organ Toxicity Single Exposure 3	H336
Specific Target Organ Toxicity Repeated Exposure 2	H373
Full text of hazard classes and H-statements :	see section 16

2.2 Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US):



Hazard Statements:

H315 - Causes skin irritation
 H319 - Causes serious eye irritation
 H317 - May cause an allergic skin reaction
 H336 - May cause drowsiness or dizziness
 H301 - Harmful if swallowed
 H331 - Toxic if inhaled
 H370 - Causes damage to organs

Precautionary Statements (GHS-US):

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
 P311 - Call a POISON CENTER or doctor/ physician
 P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

2.2 Other Hazards**SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

Component	CAS-No	GHS-US Classification	% w/w
Water	7732-18-5		80-88
Ethyl alcohol	64-17-5	Flammable Liquid 2, H225 Eye Irritation 2A, H319	9-15
Poly Ethylene Glycol	25322-68-3		2-4

Full text of the R-phrases and H-phrases: see section 16

SECTION 4. FIRST AID MEASURES**4.1 Description of First-aid Measures**

General Advice: If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

Skin Contact: Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention. If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. Ingestion Clean mouth with water and drink afterward plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.

Protection of First-aiders No special precautions required. Use personal protective equipment.

4.2 Most Important Symptoms and Effects Both Acute and delayed

May cause an allergic skin reaction. Breathing difficulties. Symptoms of an allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea, and vomiting.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5. FIREFIGHTING MEASURES**5.1 Extinguishing Media****Suitable Extinguishing Media**

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide. Cool closed containers exposed to fire with water spray.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

No data available.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Thermal decomposition can lead to the release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not get in eyes, on the skin, or clothing. Wear personal protective equipment. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not take internally.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

7.3. Specific end use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Ethyl Alcohol (64-17-5)		
USA ACGIH	ACGIH TWA (ppm)	1000 ppm
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
USA ACGIH	Biological Exposure Indices (BEI)	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift at end of workweek (background, nonspecific)
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	1900 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	1000 PPM
USA IDLH	US IDLH (ppm)	3300 ppm (10% LEL)
USA OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

Poly Ethylene Glycol (25322-68-3)		
USA AIHA	WEEL TWA (mg/m ³)	10 mg/m ³

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES
--

9.1. Information on Basic Physical and Chemical Properties

Appearance	Light Green	
Physical State	Liquid	
Odor	Characteristic Alcohol-Like Odor	
Odor Threshold	No data	
pH	6.0-8.0	
Melting Point / Range	No data	
Softening Point	No data	
Boiling Point / Range	No data	
Flash Point	No data	
Evaporation Rate	No data	
Evaporation Limits	No data	
Flammability (solid, gas)	No data	
Explosion Limits	No data	
Vapor Pressure	No data	
Vapor Density	No data	
Specific Gravity	0.9-1.0	
Bulk Density	No data	Liquid
Water Solubility	Miscible	
Solubility in other solvents	No data	
Viscosity	No data	

9.2. Other Information

No additional information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Reacts with (strong) oxidizers: (increased) risk of fire.

10.2. Chemical Stability

Stable under normal conditions

10.3. Possibility of Hazardous Reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

10.4. Conditions to Avoid

No Data

10.5. Incompatible Materials

Strong oxidizing agents. Strong acids. Aldehydes.

10.6. Hazardous Decomposition Products:

Carbon monoxide (CO), Carbon dioxide (CO₂), Thermal decomposition can lead to the release of irritating gases and vapors.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral) Oral: Harmful if swallowed.
Acute Toxicity (Dermal) Not classified
Acute Toxicity (Inhalation) Not classified

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Ethyl Alcohol	10470 mg/kg (Rat)	20ml/kg (Rat)	124.7 mg/L/4h (Rat)
Poly Ethylene Glycol	44200 mg/kg (Rat)	Skin - Rabbit Result: Mild skin irritation - 24 h	

Skin Corrosion/Irritation Not classified

pH 6.0-8.0

Eye Damage/Irritation Causes serious eye irritation.

pH 6.0-8.0

Respiratory or Skin Sensitization May cause an allergic skin reaction.

Germ Cell Mutagenicity Not classified

Carcinogenicity No Data.

Specific Target Organ Toxicity (Repeated Exposure) May cause damage to organs through prolonged or repeated exposure.

Reproductive Toxicity Not classified

Specific Target Organ Toxicity (Single Exposure) Causes damage to organs. May cause drowsiness or dizziness.

Aspiration Hazard Not classified

Symptoms/Injuries After Inhalation High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.

Symptoms/Injuries After Skin Contact May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion This material is harmful orally and can cause adverse health effects or death in significant amounts. This material contains methanol, which, when ingested, may cause

acidosis and ocular toxicity ranging from diminished visual capacity to complete blindness, and possible death.

Chronic Symptoms. May cause damage to organs (nervous system) through prolonged or repeated exposure (inhalation).

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Contains no substances known to be hazardous to the environment or that are not degradable in waste treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Ethyl Alcohol (64-17-5)	Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h Fathead minnow	EC50 = 9268 mg/L/48h	EC50 (72h) = 275 mg/l (Chlorella vulgaris)

12.2. Persistence and degradability

Persistence Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains no substances known to be hazardous to the environment or not degradable in wastewater treatment plants.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

12.4. Mobility in soil

No Data available

12.5. Results of PBT and vPvB assessment

No data available for assessment

12.6. Other adverse effects

Endocrine Disruptor

Information

This product does not contain any known or suspected endocrine disruptors

Persistent Organic Pollutant

This product does not contain any known or suspected substance

Ozone Depletion Potential

This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods****Waste from Residues / Unused****Products**

Waste is classified as hazardous. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to a hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep the product and empty container away from heat and sources of ignition.

Other Information

Do not dispose of waste into the sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be incinerated, when in compliance with local regulations.

SECTION 14. TRANSPORT INFORMATION**In accordance with DOT****UN number****Not Regulated****UN proper shipping name****Transport hazard class(es)****Packing group****In accordance with IATA****UN number****Not Regulated****UN proper shipping name****Transport hazard class(es)****Packing group****In accordance with IMDG****UN number****Not Regulated****UN proper shipping name****Transport hazard class(es)****Packing group****Flash point****SECTION 15. REGULATORY INFORMATION****15.1. US Federal Regulations****SARA Section 313 (specific toxic chemical listings)**

64-17-5 ethanol

TSCA (Toxic Substances Control Act)

All ingredients are listed.

California Proposition 65 - Chemicals known to cause cancer

This product contains chemicals known to the State of California to cause cancer. Ethyl Alcohol is included on the Proposition 65 list when it is used in alcoholic beverages.

California Proposition 65 - Chemicals known to cause reproductive toxicity for females

None of the ingredients is listed.

California Proposition 65 - Chemicals known to cause reproductive toxicity for males

None of the ingredients is listed.

California Proposition 65 - Chemicals known to cause developmental toxicity

None of the ingredients is listed.

15.2. US State Regulations

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R67 - Vapors may cause drowsiness and dizziness

R36 - Irritating to eyes

R22 - Harmful if swallowed

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed

R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin, and if swallowed

Full text of H-Statements referred to under sections 2 and 3

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H370 - Causes damage to organs

H336 - May cause drowsiness or dizziness

H302 - Harmful if swallowed

H331 - Toxic if inhaled

NFPA Health Hazard


1 – Slight Hazard.

NFPA Fire Hazard

1 - Must be preheated before ignition can occur

NFPA Reactivity Hazard

0 - Material that in themselves are normally stable, even under fire conditions.



This document is based on our current knowledge and is intended to describe the product for health, safety, and environmental requirements only. It should not, therefore, be construed as guaranteeing any specific property of the product.